BU-CCS-960601

Interface Roughening in a Hydrodynamic Lattice-Gas Model with Surfactant

Francis W. Starr, Stephen T. Harrington, Bruce M. Boghosian, and H. Eugene Stanley
Center for Polymer Studies, Center for Computational Science, and Department of Physics, Boston University, Boston, MA 02215 USA
(LT5906: Received 18 June 1996)

arXiv:cond-mat/9606188v2 20 Sep 1996

Using a hydrodynamic lattice-gas model, we study interface growth in a binary fluid with various concentrations of surfactant. We find that the interface is smoothed by small concentrations of surfactant, while microemulsion droplets form for large surfactant concentrations. To assist in determining the stability limits of the interface, we calculate the change in the roughness and growth exponents α and β as a function of surfactant concentration along the interface.

PACS numbers: 68.10.-m, 05.50.+q, 47.11.+j

The study of rough interfaces is of important experimental and theoretical interest and has wide interdisciplinary applications, including fluid imbibition experiments, flow in porous media and fluid–fluid displacement [1]. Rough interfaces have been extensively studied by direct integration of continuum equations and using simple discrete lattice models. The development of lattice-gas models makes it possible to study interface roughening in hydrodynamic systems. Lattice-gas models have evolved from simple one-component Navier-Stokes fluids [2], to two-component immiscible lattice-gas (ILG) models [3], and, most recently, to a model including amphiphilic particles [4]. Lattice-gas models can reproduce the dynamics on mesoscopic scales, allowing for the investigation of non-equilibrium behavior over a much broader range of length and time scales than is possible with molecular dynamics [5]. The simplicity of the collision rules, the exact conservation of mass and momentum, and the natural underlying kinetic fluctuations suggest that lattice-gas models are an appropriate choice for studying the scaling behavior of interfaces in complex hydrodynamic systems.

In this Letter, we study interfacial roughening in the presence of a surfactant by including amphiphilic particles that tend to reside at the binary fluid interface [6]. Flekkøy and Rothman recently studied fluctuating interfaces in an ILG model without surfactant and described the scaling properties of these interfaces [7]. When surfactant is added to an initially flat interface, we find that the roughness exponent α and growth exponent β decrease for small concentrations of surfactant [8]; however, for larger concentrations of surfactant, β increases while α continues to decrease. The continued addition of surfactant causes the interface to spontaneously break up into a microemulsion phase. We also find that the saturated width of the interface has a minimum when the surfactant concentration along the interface matches the binary fluid concentration in the bulk.

Far from any interface, the present model approaches the one-component FHP-II model [2,9], which employs a triangular lattice with each lattice site occupied by up to seven particles, each of which is either at rest or has unit velocity directed along one of the six lattice vectors toward neighboring sites. No two particles may have the same velocity at a lattice site. The rules dictate that a particle propagates along a lattice direction until a collision occurs. When no surfactant is present, the current model reduces to the two-component ILG model [3], which employs two types of particle and assigns each of the two species a color, "red" or "blue". Each collision must conserve red particles, blue particles, and the total momentum. Additional collision rules are included that give rise to the aggregate behavior of an immiscible fluid. These rules can be described using an electrostatic analogy [4], where the *color flux* $\mathbf{J}(\mathbf{x},t)$ of an outgoing state is the difference between the red and blue momenta. The *color field* $\mathbf{E}(\mathbf{x},t)$ is the gradient of color between neighboring sites. At each time step, the *color work* – defined by the inner product $\mathbf{J}\cdot\mathbf{E}$ – is minimized at each lattice site, which has the effect of inducing phase separation.

With the addition of surfactant molecules, the ILG becomes a three-component model having the potential to model amphiphilic systems [4]. To make the behavior of the surfactant consistent with a molecule composed of hydrophobic and hydrophilic ends, the surfactant is represented as a "color dipole" with a *dipole vector* $\sigma(\mathbf{x},t)$ and produces a *dipolar field* $\mathbf{P}(\mathbf{x},t)$ at neighboring sites. A term proportional to $\sigma\cdot\mathbf{E}$, representing the interaction of colored particles with dipoles, is added to the Hamiltonian. Similarly, we add a term proportional to $\sigma\cdot\mathbf{P}$ to include the dipole-dipole interaction. Minimization of the modified Hamiltonian favors the surfactant particles lining up along the interface between red and blue particles and makes it unfavorable for surfactant particles



FIG. 1. Typical configurations (a) for the $L = 32$ case without surfactant ($\rho_s = 0$); the concentration in each region is $\rho = 0.5$; (b) for a surfactant concentration $\rho_s = 1.0$ along the interface; binary fluid particles are replaced by surfactant particles so that the total particle number remains unchanged; (c) for the micellular microemulsion phase ($\rho_s = 1.5$). Note that the periodic boundary conditions require two interfaces.

to align with each other at neighboring sites, modeling the expected behavior of an amphiphilic molecule [10].

We perform simulations of the three-component model using a sequence of two-dimensional lattices of edge $L = 16, 32, 64, 128$ and 256 with periodic boundary conditions in both directions. Initially, red and blue particles are placed on the lattice separated by two flat interfaces which are evenly spaced and oriented perpendicular to one of the lattice directions [11], as shown in Fig. 1(a). In each region the particle concentration is $\rho = 0.5$ [12]. Each particle, with uniform probability, is either given zero velocity or unit velocity in one of the six lattice directions. Surfactant molecules are placed between the interfaces with varying concentration and angular orientation randomly selected between between 0 and 2π. (After a single collision step, the angular orientation of the surfactant molecules tends to align perpendicular to the interface, as this is energetically favorable.) The system then evolves according to the collision rules of the model. Our interest focuses on how the addition of surfactant to the interface mediates the roughening process.

We first calculate the average interface width $W(L,t) \equiv \langle \overline{h^2(\mathbf{x},t)} - \overline{h(\mathbf{x},t)}^2 \rangle^{1/2}$ at logarithmically spaced time intervals with no surfactant present. We find that $W(L,t) \sim t^\beta$ until a crossover time $t_\times(L)$, whereupon it saturates at a value $W_{sat}(L) \sim L^\alpha$ [1,7], with $\beta = 0.33 \pm 0.02$ and $\alpha = 0.50 \pm 0.02$ (Fig. 2). Hence $z = \alpha/\beta = 1.50 \pm 0.03$, where z is the dynamical exponent, defined by $t_\times(L) \sim L^z$. In Fig. 2(b), we plot the rescaled width $W(L,t)/L^\alpha$ against the rescaled time t/L^z and confirm the scaling hypothesis, $W(L,t) \sim L^\alpha \; f(t/t_\times)$ [1]. Our results match the scaling exponents $\alpha = 1/2$ and $\beta = 1/3$ for the Kardar-Parisi-Zhang (KPZ) universality class [13], and are comparable to earlier results obtained by Flekkøy and Rothman [7].

Next we consider interface roughening with surfactant present. In the three-component model, for surfactant concentrations below the critical concentration for spontaneous emulsification, the surfactant particles tend to



FIG. 2. (a) Interface growth and roughening of a binary fluid for system sizes $L = 16(\circ), 32(\square), 64(\diamond), 128(\triangle)$ and $256(\triangleleft)$. At early times, the width $W \sim t^\beta$ where $\beta = 0.33 \pm 0.02$. (b) Rescaling to test the scaling hypothesis and the values of α and β. Error bars are approximately equal to the symbol size. The inset shows the size scaling of saturation width, where $\alpha = 0.50 \pm 0.02$, in agreement with the values predicted in ref. [7].

line up along the interface between the two fluids. Since we are interested in the role that the surfactant plays in the kinetic roughening process, we start with an initial configuration where the fluids are separated and we replace red and blue particles with surfactant particles in a *single* row along the interface (Fig. 1(b)). We define the surfactant concentration $\rho_s \equiv N_s/L$, where N_s is the number of surfactant particles placed along the interface. To obtain $\rho_s > \rho$, we replace red and blue particles with surfactant particles on *multiple* rows [14].

In Fig. 3(a), we plot $W(L,t)$ for all system sizes and $\rho = \rho_s = 0.5$. We still see a growth regime that crosses



FIG. 3. (a) Interface growth and roughening for the three component model with a surfactant concentration $\rho_s = 0.5$ along the interface. System sizes and symbols are the same as Fig. 2. For $t < t_\times$, the growth rate is slower than for the binary case, and the saturation width is smaller. We find $\beta = 0.27 \pm 0.02$. (b) Rescaled plot demonstrating data collapse. Error bars are approximately equal to the symbol size. The inset shows the roughness exponent $\alpha = 0.43 \pm 0.02$.



FIG. 4. (a) Dependence of the growth exponent β on surfactant concentration $\rho_s \equiv N_s/L$ for a 32×32 system with $\rho = 0.5$. For small surfactant concentrations, the growth rate is reduced. β increases for $\rho_s > \rho$ until spontaneous emulsification occurs. (b) Dependence of saturation width on surfactant concentration for $\rho = 0.5$. For $\rho_s < \rho$ the surfactant reduces the value of the saturated width. For $\rho_s > \rho$ the interface becomes rougher as it approaches spontaneous emulsification. (c) W_{sat} dependence on ρ_s with a binary fluid concentration $\rho = 0.7$. We again see that the behavior changes at $\rho_s = \rho$.

over to a saturated regime. Compared to Fig. 2, the case without surfactant, the growth rate of the width is slower and W_{sat} is smaller. We find $\beta = 0.27 \pm 0.02$ and $\alpha = 0.43 \pm 0.02$. Fig. 3(b) confirms the scaling hypothesis using $z = \alpha/\beta = 1.59 \pm 0.03$. These values for α and β are not the accepted values for the roughness and growth exponents of the KPZ equation in $1+1$ dimensions. The KPZ exponents also obey the sum rule, $z + \alpha = 2$, a consequence of Galilean invariance [1]. We obtain $z + \alpha = 2.02 \pm 0.04$ for this case. This result is surprising since lattice-gas models are not Galilean invariant, due to the fact that the lattice constitutes a preferred Galilean reference frame [2]. On the other hand, the flow equations of the lattice-gas model do contain a non-linear inertial term, as does the KPZ equation.

We next consider the effect of the surfactant concentration on the growth of the interface and the saturated width. In Fig. 4(a), we show the dependence of β on ρ_s for a lattice of size 32×32. We observe a dramatic reduction in the growth exponent upon the addition of any surfactant to the interface. Additional surfactant causes little change in β up to $\rho_s = \rho$, where $\beta = 0.22 \pm 0.02$. For $\rho_s > \rho$, the growth exponent increases but never returns to the value of the pure case. For $\rho_s \gtrsim 1.5$, the interface spontaneously breaks up, giving rise to a micellular microemulsion phase where the width is no longer well defined (Fig. 1(c)). The effect of ρ_s on W_{sat} is similar to its effect on β. For $\rho_s < \rho$ we see that the interface width saturates at a value that decreases for increasing ρ_s (Fig. 4(b)). However, for $\rho_s > \rho$, W_{sat} increases until we reach the microemulsion phase.

We can understand the behavior of W_{sat} by considering the effect the surfactant has on the binary fluid interface. From the Hamiltonian, we know that the color-dipole energy, $\sigma \cdot \mathbf{E}$, required for surfactant to be removed from the interface is large compared to the energy for the surfactant to remain on the interface. As a result, the surfactant particles are effectively "anchored" at the interface. For $\rho_s < \rho$, the surfactant reduces the fluctuations of

the interface because it is anchored in position between red and blue particles. As a result, W_{sat} is smaller. For $\rho_s > \rho$, the color-dipole interaction still forces surfactant particles to remain on the interface, but now surfactant particles are more likely to neighbor each other. Since the dipole-dipole interaction, $\sigma \cdot \mathbf{P}$, makes it energetically unfavorable for dipole molecules to align with other dipole molecules at neighboring sites, the surfactant creates additional surface by roughening the interface to reduce the number of neighboring surfactant molecules, thereby increasing W_{sat}. To demonstrate that the turning point in W_{sat} depends on our choice of ρ, we measure W_{sat} for various ρ_s with a binary fluid concentration $\rho = 0.7$ (Fig. 4(c)). We again see W_{sat} decreasing for $\rho_s \leq \rho$ and increasing for $\rho_s > \rho$.

To investigate the effect of ρ_s on α, we consider system sizes $L = 16, 32, 64$ and 128 for $\rho_s = 0.8$ and 1.0. At $\rho_s = 0.8$ we find $\beta = 0.27 \pm 0.02$ and $\alpha = 0.36 \pm 0.02$, while for $\rho_s = 1.0$ we obtain $\beta = 0.30 \pm 0.02$ and $\alpha = 0.23 \pm 0.02$. Using the exponents for these concentrations, we do not find $z + \alpha = 2$. In Table I we summarize the behavior of the exponents α, β, z, and $z + \alpha$ as a function of the surfactant concentration. We notice that α decreases as we increase the surfactant concentration.

In summary, we have found that a three-component lattice gas can be used to test the effect of surfactant of the scaling properties of hydrodynamic interfacial growth and roughening. In particular, we have found that surfactant alters the growth and roughness exponents, with α decreasing and β increasing as we increase ρ_s above the concentration of the binary fluid. These results may assist in understanding the stability limits of interfacial growth in the presence of a surfactant and the conditions for the formation and breakup of microemulsion droplets.

TABLE I. Roughness, growth and dynamic exponents for various surfactant concentrations measured from the simulations. Also included are the number of samples that have been averaged.

ρ_s	α	β	z	$z + \alpha$	Samples
0.0	0.50 ± 0.02	0.33 ± 0.02	1.50 ± 0.03	2.00 ± 0.04	170
0.5	0.43 ± 0.02	0.27 ± 0.02	1.59 ± 0.03	2.02 ± 0.04	170
0.8	0.36 ± 0.02	0.27 ± 0.02	1.33 ± 0.03	1.69 ± 0.04	150
1.0	0.23 ± 0.02	0.30 ± 0.02	0.77 ± 0.03	1.00 ± 0.04	150

We thank A.N. Emerton for the use of his lattice-gas code, L.A.N. Amaral, S.V. Buldyrev, P.V. Coveney, S. Havlin, and D.H. Rothman for helpful discussions, and NSF for financial support. FWS and STH are supported by NSF and NIH predoctoral fellowships, respectively, while BMB is supported in part by Phillips Laboratories and by the United States Air Force Office of Scientific Research under grant number F49620-95-1-0285. Simulations were carried out using the Power ChallengeArray at the Boston University Center for Computational Science, and the IBM SP2 at the Maui High Performance Computing Center.

[1] *Dynamics of Fractal Surfaces*, edited by F. Family and T. Vicsek (World Scientific, Singapore, 1991); J. Kertész and T. Vicsek, in *Fractals in Science*, edited by A. Bunde and S. Havlin (Springer-Verlag, Heidelberg, 1994); A.-L. Barabási and H. E. Stanley, *Fractal Concepts in Surface Growth* (Cambridge University Press, Cambridge, 1995).

[2] U. Frisch, B. Hasslacher, and Y. Pomeau *Phys. Rev. Lett.* **56**, 1505, (1986).

[3] D.H. Rothman and J.M. Keller, *Phys. Rev. Lett.* **56**, 889 (1988).

[4] B. Boghosian, P. Coveney, and A. Emerton, *Proc. Roy. Soc. A* **452**, 1221 (1996).

[5] D.H. Rothman and S. Zaleski, *Rev. Mod. Phys.* **66**, 1412 (1994).

[6] For a theoretical description of surfactant mediated interface growth in $2 + 1$ dimensions, see A.-L. Barabási, *Phys. Rev. Lett.* **70**, 4102 (1993).

[7] E.G. Flekkøy and D.H. Rothman, *Phys. Rev. Lett.* **75**, 260 (1995); *Phys. Rev. E* **53**, 1622 (1996).

[8] The roughness exponent α describes the dependence of the saturated width on system size, $W_{sat}(L) \sim L^{\alpha}$, while the growth exponent β describes the initial increase in interface width, $W(L, t) \sim t^{\beta}$.

[9] U. Frisch, D. d'Humières, B. Hasslacher, P. Lallemand, Y. Pomeau, and J.-P. Rivet, *Complex Syst.* **1**, 648 (1987).

[10] The relative strength of each term in the Hamiltonian can be controlled by coupling constants. Using the nomenclature of ref. [4], we have chosen $\alpha = 1.0, \mu = 0.05, \epsilon = 8.0$, and $\zeta = 0.5$. Here α is not to be confused with the roughness exponent.

[11] C. Adler, D. d'Humières, and D.H. Rothman, *J. Phys. France* **4**, 29 (1994)

[12] This is equivalent to 3.5 particles per site on average. This choice is not crucial for a binary fluid provided ρ is above the critical concentration needed for phase separation.

[13] M. Kardar, G. Parisi, and Y.-C. Zhang, *Phys. Rev. Lett.* **56**, 889 (1986).

[14] For $\rho_s \leq \rho$, we replace the red and blue particles with surfactant particles on only one row of the interface. For $\rho < \rho_s \leq 2\rho$, we use two rows. Similarly, we use three rows for $2\rho < \rho_s \leq 3\rho$.